


Filter Press Cloths

Sefar has extensive experience in many applications and offers ready-made filter elements adapted to fit customer's requirements, such as cake moisture, particle retention, etc.









DOWNLOADS

Brochure: Process Filtration (PDF 5300 kb)

Product Features

Sefar Filter Solutions for Filter Press Equipment

Sefar is a leader in the design, production and sales of chamber and membrane cloths for filter press machines, also called horizontal, mix pack or vertical plate pressure filters.

With 26 subsidiaries all over the world, Sefar has always focused on providing personal technical support and assistance to each customer and addressing the particular needs of their application.

Experience

Thanks to its strong experience in many applications, Sefar has developed a wide range of products to ensure:

- Chemical, mechanical and abrasive resistance
- Dimensional stability
- Food compliance: FDA, EU 10/2011, EC 1935/2004, EC 2023/2006
- Resistance of the media against clogging, blinding or scaling, coupled with a

high regeneration capacity*

(*capacity of the woven fabric to recover the original permeability after a

washing)

High strength resistance against tearing

Sefar Filter Pure (Pty) Ltd

Postnet Suite #242 Private Bag X18 North Riding, 2162 South Africa Phone +27 11 708 2485/6/7 Fax -

shawn@sefarfilterpure.com



Knowledge

For years, Sefar has gained knowledge and skills through many studies done internally in our specialized and well-equipped laboratory to reproduce filtration and the customer's process. This approach has laid the foundation for the creation of media for filter press cloths with consideration for customer's needs.

- Cake moisture (cake dryness, moisture content)
- Cake thickness
- Filtration efficiency (filtrate clarity, solids in filtrate, particle retention, solids in

suspension)

- Cake release (cake discharge)
- Cake washing efficiency

Solutions

Sefar proposes solutions to cope with all customer plate design, with readymade and adapted cloths (single, double or overhang), which match perfectly to the plates and with options such as:

- Metallic or US Eyelets, US eyelets are food grade and resistant to chemical degradation and corrosion.
- Different types of barrels and rubbernecks, from the classic multifilament

fabric to different waterproof options, able to resist all chemical or abrasion

environments.

- Edge sealing done through coating or reinforcement to avoid leakage, with a range of food grade certified coatings.
- Support or backing cloth to increase drainage and lifetime of the filter cloth.

Sefar Filter Pure (Pty) Ltd

Postnet Suite #242 Private Bag X18 North Riding, 2162 South Africa Phone +27 11 708 2485/6/7 Fax -



Fabrication solutions

Sefar's filter cloths are adapted to the different needs of the customers, like plate dimension, cake weight, particle retention or productivity. As a result, Sefar has developed a wide range of standard and specific designs, making up options for fixations, barrel and rubber neck, or sealing.

Metallic eyelets

Velcro fastener





Barrel neck



Easy installation available with several options

Edge sealing

Edge reinforcement

Sefar Filter Pure (Pty) Ltd

Postnet Suite #242 Private Bag X18 North Riding, 2162 South Africa Phone +27 11 708 2485/6/7 Fax -

shawn@sefarfilterpure.com





 Edge coating for drop-tight operation



- To avoid leaking in
- certain cases

Applications

.....



Food

Sugar, Cacao, Carrageenan (Algae), Bean protein, Beer, Juice, Enzyme, Pectin, Starch and gluten, Wine, Rice bran oil, Palm oil, Colza oil

Sefar Filter Pure (Pty) Ltd

Postnet Suite #242 Private Bag X18 North Riding, 2162 South Africa Phone +27 11 708 2485/6/7 Fax - shawn@sefarfilterpure.com



Environment

Potable Water, Urban Waste Water Treatment, Industrial Waste Water Treatment, Galvanic Treatment, Automotive Cataphoresis, Metallic residue



Chemical

Polymers, Resin and Terpen derivatives, Naphtalenesulfonate, Precipited Silicate, Colours, Pigments, Fertilizers



Mineral

Alumina red mud management, cement, chalk, coal, concentrates & tailings (copper, gold, iron, silver, zinc, etc) gravel, gypsum, kaolin & clay, lithium, rare earths (cobalt, bismuth, uranium, etc.) titanium dioxide and many more

Sefar Filter Pure (Pty) Ltd

Postnet Suite #242 Private Bag X18 North Riding, 2162 South Africa Phone +27 11 708 2485/6/7 Fax -



Life science

Sefar production methods and facilities are



Sefar filter solutions for OEM

Our products meet the specific needs of these filtration applications and are successfully running all over the world on all known filter press brands and OEMs, such as:

Sefar Filter Pure (Pty) Ltd

Postnet Suite #242 Private Bag X18 North Riding, 2162 South Africa Phone +27 11 708 2485/6/7 Fax - shawn@sefarfilterpure.com



AES	Andritz	·	Ascension
Avery	(Bilfinger, Diemme)	Boulton	Choquenet
Dafim	Dazhang	Della Toffala	Diefenbach
Dinshaw	Durco	Edward & Jones (E&J)	
EMO	Faure Equipment	Filmac	Filox
FLSmidth	Fraccaroli e Balzan	Galigani	Häcker
	Hakü	Hangzhou Xingyuan	Hoesch
Ishigaki	-	JKF Kübler	Johnson Progress
Körte	Landaluce		Lasta

Sefar Filter Pure (Pty) Ltd

Postnet Suite #242 Private Bag X18 North Riding, 2162 South Africa Phone +27 11 708 2485/6/7 Fax -

shawn@sefarfilterpure.com



Latham	Lisse	Matec	McLanahan
Metchem	Metso: Outotec	Meura	Micronics
MS	MSE	Netzsch	Nordon
Pac Press	Paetzold		Parkson
Passavant	PMI	Putsch	Ritterhaus & Blecher
Schenk	Schule	Seitz Orion	Spadoni
	Tecnoidea		Tefsa
		Velo	Vicentini
Von Roll	Welders (WFT)	Zhejiang Goldenbird	Zhongda Bright

Filter media technology

Sefar Filter Pure (Pty) Ltd

Postnet Suite #242 Private Bag X18 North Riding, 2162 South Africa Phone +27 11 708 2485/6/7 Fax - shawn@sefarfilterpure.com


A complete range of fabrics, including monofilament (SEFAR TETEX MONO), multifilament (SEFAR TETEX MULTI), mixed mono-multifilament, mixed multifilamentstaple fibres, and other innovative products, are especially dedicated to filter press machines. Our range is able to cover all chemical requirements, with polymers such as Polypropylene (PP), Polyamide (PA, Nylon, Rilsan, PA6-6, PA 6, PA 6-10, PA11, PA12), Polyester (PET) or PBT, and particle retention with optimum flow rate, moisture content, and cake washing properties. For this line, all the media are:

- calendered to provide the smooth surface needed for a good cake release
- properly thermo-fixed to ensure the dimensional stability

During this stage, the air permeability is monitored continuously to warrant uniformity and reliability and the pore size distribution of our line.

Monofilament Fabric

Multifilament Fabric



For good filtration For maximum particle performance and a

retention and good

better cake discharge mechanical

resistance

CONTACT

Sefar Filter Pure (Pty) Ltd

Postnet Suite #242 Private Bag X18 North Riding, 2162 South Africa

Phone +27 11 708 2485/6/7 Fax

shawn@sefarfilterpure.com

Go to product page

S

E





-	÷	 +					-		-			-		÷	+	 +	÷	 ÷	+	+		+	+	÷	÷	
	_																									

.

- Local contact
- Contact form

Send mail

Please call us for further information: Phone CH: +41 71 898 5700

Locations



Sefar Filter Pure (Pty) Ltd

Postnet Suite #242 Private Bag X18 North Riding, 2162 South Africa Phone: +27 11 708 2485/6/7 Fax: -



Sefar Filter Pure (Pty) Ltd

Postnet Suite #242 Private Bag X18 North Riding, 2162 South Africa Phone +27 11 708 2485/6/7 Fax - shawn@sefarfilterpure.com