

# Fabric solutions for the Appliance industry

Sefar offers a wide range of filtration media and highly industrialized fabrication capabilities.



## Product Features

### Appliance Products

Inherent to our synthetic materials are:

- Good fatigue properties compared to metal mesh
- Easy to handle and no sharp edges
- High strength and tear resistance
- Non-shedding properties


## DOWNLOADS

Brochure: Appliance Industry (PDF 5096 kb)

Customer Information: SEFAR AntiBac (PDF 912 kb)


Technical List: Open Mesh Fabrics

### Open mesh fabric



- High precision and

### Closed mesh fabric



- Highly efficient

## Sefar Filter Pure (Pty) Ltd

Postnet Suite #242  
Private Bag X18  
North Riding, 2162  
South Africa

Phone +27 11 708 2485/6/7  
Fax -


[shawn@sefarfilterpure.com](mailto:shawn@sefarfilterpure.com)

[Go to product page](#)

- reliable mesh opening
- particle retention
- Low pressure drop
- High throughput
- Various surface modifications
- Excellent surface properties
- available
- High performance
- polymers for extreme and harsh conditions

## SEFAR AntiBac Technology

Sefar has developed a special anti-microbial fabric that does not need any coating and is nonetheless highly efficient. The silver particles integrated in the polymer are a fixed component of the yarn. Silver ions are universally effective against 650 types of bacteria. The respected Hohenstein Institut confirms the strong anti-microbial effect.



Micro-organism tries to form a colony absorbing Ag+ and dies off after contamination with Ag+

■ [More details...](#)

### Sefar Filter Pure (Pty) Ltd

Postnet Suite #242  
Private Bag X18  
North Riding, 2162  
South Africa


Phone +27 11 708 2485/6/7  
Fax -

[shawn@sefarfilterpure.com](mailto:shawn@sefarfilterpure.com)


[Go to product page](#)

## Hydrophobic and hydrophilic coating

Sefar has wet-chemical coating capabilities for hydrophobic and hydrophilic properties and is equipped with plasma machines, which produce the same result. Oleophobic and oleophilic properties are achievable with both procedures.






Hydrophobic / Oleophobic (coating or plasma)  
Most coatings are fluoropolymer-based solids.



Hydrophilic / Oleophilic (coating or plasma)  
Most coatings have an affinity for water, oils or oily materials.

## Fabrication & Converting Solutions

Information on our fabrication capabilities can be found by following the links below:



 Customer specific

Please call us for further information. We will also gladly send you fabric samples!

### Sefar Filter Pure (Pty) Ltd

Postnet Suite #242  
Private Bag X18  
North Riding, 2162  
South Africa

Phone +27 11 708 2485/6/7  
Fax -

[shawn@sefarfilterpure.com](mailto:shawn@sefarfilterpure.com)

[Go to product page](#)

## Locations



### Sefar Filter Pure (Pty) Ltd

Postnet Suite #242  
Private Bag X18  
North Riding, 2162  
South Africa  
Phone: +27 11 708 2485/6/7  
Fax: -

■ [E-Mail](#)

### Sefar Filter Pure (Pty) Ltd

Postnet Suite #242  
Private Bag X18  
North Riding, 2162  
South Africa

Phone +27 11 708 2485/6/7  
Fax -

[shawn@sefarfilterpure.com](mailto:shawn@sefarfilterpure.com)

[Go to product page](#)